Steven L. Beshear Governor

Leonard K. Peters Secretary Energy and Environment Cabinet



Commonwealth of Kentucky

Public Service Commission
211 Sower Blvd.
P.O. Box 615

Frankfort, Kentucky 40602-0615

Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

April 24, 2009

Vice Chairman

John W. Clay
Commissioner

James Gardner

David L. Armstrong

Chairman

Post Office Box 1424 3251 Spring Hollow Avenue Bowling Green, KY 42102-1424

RE: Case No. 2009-00166

The Commission staff has reviewed your application in the above case and finds that it meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,

Ryan Gatewood, Director

Division of Filings

RG/ke Enclosure





## Kentucky Rural Water Association

Helping water and wastewater utilities help themselves

April 17, 2009

2009-00166 RECEIVED

APR 2 2 2009

PUBLIC SERVICE COMMISSION

Mr. Jeff Derouen, Executive Director Public Service Commission P. O. Box 615 Frankfort, KY 40602-0615

FILED

APR 2 2 2009

Dear Mr. Derouen:

PUBLIC SERVICE COMMISSION

Kentucky Rural Water Association will host its 2009 Operator Expo at the Nelson County Fairground in Bardstown, Kentucky on May 20-21, 2009. We would like to request that this training be approved for commissioners as referenced in HB-75, KRS 74.020.

Please find enclosed a training summary, which includes a timed agenda and a description of each topic which is followed by a brief speaker bio. Approval for this training session has also been submitted to the Kentucky Boards of Certification for Water Treatment and Distribution System Operators and Wastewater System Operators. A copy of that application is included.

With this letter and enclosures, Kentucky Rural Water Association is requesting the approval of six (6) hours for commissioner and board member training. If additional information is needed, please do not hesitate to call.

Sincerely,

Clem Wethington Education Director

ic

Enclosures (5)